

1.11.

T 2S - R 6W. 2nd Mer.

6	335	5	338	4	332	3	331	2	330	1	317
335		334		333		334		330		329	
7	334	8	333	9	333	10	330	11	329	12	317
335		334		333		331		330		329	
18	331	17	332	16	331	15	329	14	329	13	317
332		327		328		328		328		323	
19	327	20	326	21	326	22	326	23	323	24	317
327		324		325		325		325		323	
30	324	29	323	28	325	27	319	26	322	25	318
324		321		322		322		322		319	
31	321	32	321	33	320	34	319	35	318	36	318
324		321		320		320		319		318	

T 3S - R 6W. 2nd Mer.

6	346	5	344	4	342	3	340	2	338	1	337
348		346		345		342		340		338	
7	346	8	345	9	342	10	341	11	338	12	337
348		347		345		343		341		339	
18	347	17	345	16	343	15	341	14	339	13	337
349		347		345		343		341		339	
19	349	20	346	21	343	22	341	23	339	24	337
349		347		346		343		341		339	
30	349	29	346	28	345	27	344	26	340	25	338
349		348		346		345		344		340	
31	349	32	347	33	345	34	344	35	344	36	339
349		348		347		345		344		340	

T. N. 3. South. of Range. N. 6. W. 2nd Mer.

- South On the East side of Sec. No 1.
10. 00 A Branch 2. lks. wide Course S. 60. E.
12. 75 A W. Oak 23. in. diam.
30. 58 A Branch 6. lks. wide. Course S. 70. W.
35. 80 A Branch 5. lks. wide. Course E.
40. 00 Set half mile post from which a Gum 20. in. diam. bears S. 41. W. 14 lks. dist. & a Maple 12. in. diam. bears S. 84. E. 2. 3 lks.
70. 00 A Branch 2. lks. wide. Course N. 20. E.
80. 00 A W. Oak 20. in. diam. bears S. 89. E. 2. 5 lks. dist. & a B. Oak 26. in. in diam. bears S. 50. W. 25 lks. Low ridges. Timber Oak &c.

- South On the East side of Sec. 12. T. 3. S. R. 6. W.
8. 00 A B. Oak 13. in. diam.
38. 63 A W. Oak 18. in. diam.
40. 00 Set half mile post from which a B. Oak 18. in. diam. bears S. 68. W. 30. lks. dist. & a W. Oak 24 in. diam. bears S. 42. E. 88. lks. dist.
60. 48 A Red Oak 12. in. diam.
80. 00 Set a mile post from which an Elm 20. in. diam. bears N. 73. W. 42 lks. dist. & a B. Oak 26. in. diam. bears S. 39. E. 50. lks. dist. Low ridges. Timber W. B. Oak. Hickory. Dogwood Spruce &c.

- South On the East side of Sec. No 13.
3. 95 A G. Oak 24. in. diam.
6. 50 A Branch 6. lks. wide. Course N. 40. E.
40. 00 Set half mile post from which a W. Oak 22. in. diam. bears N. 61. W. 40. lks. dist. & a W. Oak 10 in. diam. bears S. 12. W. 32. lks. dist.
52. 50 A Red Oak 24. in. diam.
80. 00 Set a mile post from which a W. Oak 15. in. diam. bears S. 19. E. 8. lks. dist. & a W. Oak 9. in. diam. bears S. 43. W. 48. lks. dist. Low ridges. Timber W. B. Oak. Hickory. Dogwood & Spruce.

- South On the East side of Sec. 24.
1. 10 A Branch 2. lks. wide. Course S. 50. W.
34. 80 A Hickory 14. in. diam.
40. 00 Set half mile post from which a W. Oak 12. in. diam. bears N. 39. W. 40. lks. dist. & a B. Oak 6. in. diam. bears S. 1. E. 23. lks. dist.
46. 50 A Branch 5. lks. wide. Course S. 20. W.

T. N. 3. S. R. N. 6. W. 2. 2nd Mer.

59. 00 Get mile post from which a Swamp Oak 10. in. diam.
 bears N. 37. W. 39. lbs. dist. 8 a B. Oak 20. in. diam. & bears E. 11.
 32. lbs. dist. Low ridges. Timber. W. Oak, Hickory, Cypress, & Pine.

South On the East side of Sec 2. 3.

5. 70 A Branch 15. lbs. wide. Course S. 45. E.
 40. 00 Get half mile post from which a W. Oak 7. in. diam. & bears
 N. 86. W. 4. lbs. dist. & a B. Walnut 10. in. diam. & bears N. 77. E. 15. lbs.
 44. 00 A Branch 3. lbs. wide; Course E.
 44. 97 A W. Oak 15. in. diam.
 56. 71 Get a Post on Freeman's line on the top of a low ridge; from
 which a B. Oak 10. in. diam. & bears S. 13. E. 66. lbs. dist. & a B.
 7. in. diam. & bears S. 21. W. 77. lbs. dist. Land, hilly.
 Timber. Oak, Hickory, Cypress, &c. Dec. 16. 1864.

South Between Sec. 1. and 2. T. 3. S. R. 6. W.

27. 72 A W. Oak 22. in. diam.
 40. 00 Get half mile post from which a W. Oak 13. in. diam. & bears
 N. 6. W. 25. lbs. dist. & a B. Oak 20. in. diam. & bears S. 46. W. 27. lbs. dist.
 50. 96 A W. Oak 22. in. diam.
 59. 00 A Branch 4. lbs. wide Course E. 88. E.
 81. 00 Get a mile post from which a B. Oak 20. in. diam. & bears
 S. 66. W. 7. lbs. dist. & a Hickory 10. in. & bears S. 88. E. 14. lbs. dist.
 Low ridges; Timber. W. Oak, B. Oak & Hickory.

East Between Sec. 1 & 2.

46. 00 Get a half mile post from which a Cypress 6. in. diam. & bears S.
 27. E. 16. lbs. dist. & a W. Oak 32. in. diam. & bears N. 15. W. 17. lbs. dist.
 43. 83 A Branch 2 lbs. wide, Course N. 20. W.
 71. 05 A Branch 2 lbs. wide; Course E.
 80. 44 Get mile post 10 lbs. S. of post. On a Random line; Low ridges
 Timber. B. Oak & Hickory.

South Between Sec. 11. and 12. T. 3. S. R. 6. W.

33. 36 A B. Oak 20. in. in diam.
 40. 00 Get half mile post from which a B. Oak 18. in. diam. & bears
 N. 30. W. 4. lbs. & a Cypress 6. in. diam. & bears N. 65. E. 18. lbs. dist.
 80. 00 Get a mile post where a Maple 14. in. diam. & bears N. 28. W. 14. lbs.

T. P. 3. S. B. No 6. W. 2nd Mer.

dist 4/4 B. Oak 12 in. diam. bears S. 15. E. 64 lbs. dist.
Low ridges. Timber. Oak & Hickory.

East	Between Sec. 12. & 13.	T. 3. S. B. 6. W.
40. 00	Get half mile post from which a W Oak 25 in. diam. bears N. 83. E. 59 lbs. dist 1/4 a B Oak 20 in. diam. bears N. 52. W. 21 lbs. dist.	
69. 00	A Branch 5 lbs. wide. Course S.	
80. 00	Get a mile post. Low ridges. Timber W & B. Oak & Hickory.	

South	Between Sec. 13. and 14.	
21. 11	A B. Oak 20 in. diam.	
33. 00	A Branch 3 lbs. wide. Course S. 40. W.	
40. 00	Get half mile post. from which a W Oak 18 in. diam. bears S. 21. W. 53 lbs. & a W Oak 7 in. diam. bears N. 61. E. 5 lbs. dist.	
40. 62	A Branch 2 lbs. wide. Course S. 70. W.	
58. 00	A Branch 3 lbs. wide. Course W.	
80. 00	Get mile post. from which a B. Oak 14 in. diam. bears 18. W. 29 lbs. dist 1/4 a B. Oak 20 in. diam. bears S. 8. E. 25 lbs. dist. Land hilly. Timber. Oak & Hickory.	

East	Between Sec. 13. and 14.	T. 3. S. B. 6. W.
37. 00	A Branch 7 lbs. wide; Course S. 20. E.	
40. 00	Get half mile post from which a Red Oak 7 in. diam. bears S. 78. E. 4 lbs. dist 1/4 a B. Oak 18 in. diam. bears N. 18. W. 29 lbs. dist.	
63. 35	A Branch 2 lbs. wide; Course S.	
74. 45	A Branch 3 lbs. wide. Course S. 20. W.	
80. 00	Get mile post 15 lbs. S. of the post on a random line. Low hilly ridges; Timber. Oak & Hickory.	

South	Between Sec. 13. & 14.	
11. 45	A W. Oak 12 in. diam.	
23. 76	A Branch 3 lbs. wide; Course E.	
40. 00	Get half mile post from which a W. Oak 12 in. diam. bears N. 39. lbs. dist 1/4 a W. Oak 15 in. diam. bears S. 84. E. 40 lbs. dist.	
80. 00	Get a mile post. from which a W. Oak 18 in. diam. bears N. 85. W. 23 lbs. dist 1/4 a W. Oak 22 in. diam. bears N. 25. E. 56 lbs. dist. Low ridges. Timber W & B. Oak & Dogwood.	

T. N. 3. S. R. N. 6. W. 2nd Mer.

- East Between Sec^s 24 and 25.
17. 22 A Branch 3 lks. wide. Course S. 50. W.
40. 01 Set half mile post from which a W. Oak 6. in? diam? bears N. 28. E. 13. lks. dist to W. Oak 18. in? diam? bears S. 82. W. 31. lks.
48. 50 A Branch 3 lks. wide. Course S. 61. E.
64. 55 A Branch 6 lks. wide. Course N. 70. E.
74. 50 A Branch 15. lks. wide. Course S. 40. E.
80. 01 Set a mile post 5. lks. S. of the post on the Ransom line. Low ridges; Timber. Oak, Hickory & Dogwood.

- South Between Sec^s 25. & 26.
4. 03 A W. Oak 24. in? diam?
5. 06 A Branch 3. lks. wide. Course S. 60. W.
29. 50 Post in Truman's line where a W. Oak 14. in? diam? bears S. 1. E. 32. lks. dist to a double W. Oak 33. in? diam? bears N. 3 1/2. W. 24. lks. dist. Land hilly. Timber. W. Oak. Dogwood. &c. &c. Dec. 17th 1804.

- South Between Sec^s 2 and 3.
- 0.0 84 A W. Oak 20. in? diam?
05. 76 A Branch 4 lks. wide Course N. 50. E.
40. 00 Set a half mile post from which a W. Oak 30. in? diam? bears S. 76. W. 42. lks. dist to W. Oak 22. in? diam? bears S. 58. E. 30. lks.
44. 85 A Branch 6: lks. wide; Course N. 45. E.
64. 59 A Red Oak 32. in? diam?
80. 00 Set a mile post from which a W. Oak 20. in? diam? bears N. 61. W. 17. lks. dist to a Gum 15. in? diam? bears S. 41. E. 13. lks. Land hilly; some freestone. Timber. W. Oak. Hickory & Gum.

- East Between Sec^s 2. & 3. T. 3. S. R. 6. W.
39. 87 1/2 Set a half Sec. post. from which a W. Oak 22 in? diam? bears S. 1. E. 64 lks. dist to a Black 36 in? diam? bears N. 15. E. 36. lks.
56. 33 A Branch 3 lks. wide, Course N. 40. E.
56. 50 A Branch 3 lks. wide; Course N. 20. W.
79. 75 Set mile post. Low ridges. Timber W. & B. Oak. Hickory. Dogwood & Spice.

T. N. 3. S. R. N. 6. W. 2nd Mer.

South Between Sections 10. and 11.

14. 53 A W. Oak 23 in. diam.
 37. 30 A Branch 3 lks. wide. Course S. 1/4 E.
 40. 00 Set half mile post from which a W. Oak 18 in. diam. bears N.
 58. W. 34 lks. dist. & a W. Oak 24 in. diam. bears S. 4/4 E. 36 lks. dist.
 69. 08 A Branch 4 lks. wide. Course S. 60. W.
 80. 00 Set a mile post; from which a W. Oak 18 in. diam. bears N. 33.
 W. 13 lks. dist. & a W. Oak 16 in. diam. bears S. 19. E. 30 lks. dist.
 Low ridges. Timber. Oak. Hickory Dogwood & Sycamores.

East Between Sec^s 11. and 14.

11. 00 A Branch 7 lks. wide. Course S. 40. W.
 40. 00 Set half mile post from which a B. Oak 12 in. diam. bears
 N. 25. W. 21 lks. dist. & a W. Oak 10 in. diam. bears S. 38. E. 36 lks. dist.
 80. 00 Set a mile post 30 lks. S. of the post on a Random line.
 Level Upland. Timber. Oak. & Maple. &c.

South Between Sec^s 14. & 15. T. 3. S. R. 6. W.

13. 25 A Branch 6 lks. wide. Course S. 40. E.
 33. 50 A Branch 15 lks. wide. Course S. 10. E.
 37. 04 A Hickory 15 in. diam.
 40. 00 Set half mile post from which a Gum 12 in. diam. bears N. 83.
 W. 7 lks. dist. & a B. Oak 6 in. diam. bears S. 71. W. 34 lks. dist.
 42 12 A Branch 6 lks. wide. Course E.
 80. 00 Set a mile post from which a W. Oak 22 in. diam. bears
 N. 41. W. 13 lks. dist. & a Gum 7 in. diam. bears N. 45. E. 11 lks.
 dist. Bottom Land. Timber. Sugar. Maple. Oak. Elm &c.

East Between Sec^s 14. & 23.

3. 00 A Branch 3 lks. wide. Course S. 10. E.
 11. 12 A Branch 3 lks. wide; Course N. 40. W.
 40. 00 Set a half mile post from which a W. Oak 30 in. diam. bears S. 27.
 E. 5 lks. dist. & a Gum 6 in. diam. bears N. 9. W. 24 lks. dist.
 80. 00 Set a mile post; Low ridges Timber. W. & B. Oak Hick. & Gum.

South Between Sec^s 22. & 23.

9. 00 A W. Oak 22 in. diam.

T. No 3 S. R. N. C. NW. 2nd Mer

19. 19 A Branch 2 lks. wide. Course E.
 40. 00 Set a half mile post from which a B. Oak 24 in? diam?
 53. 11 bears N 84 E. 12 lks. dist. & a Maple - in? diam? bears—
 55. 50 A W Oak 20 in? diam?
 68. 00 A Branch 3 lks. wide. Course E.
 80. 00 Set a mile post from which a W. Oak 8 in? diam? bears N.
 28. E. 12 lks. dist. & a B. 15 in? diam? bears S 84 W 7 lks.
 dist. Low-Ridges, same bottom; Timber, Oak, Walnut,
 Sugar, Maple & Elm. Dec. 18th 1804.

- South Between Secs 3 & 4. T. 3. S. R. 6 W.
 5. 63 A Branch 3 lks. wide. Course S. 50 E.
 17. 00 A Branch 12 lks. wide; Course N. 40 E.
 40. 01 Set a half mile post, from which a W Oak 18 in? diam? bears
 N. 14 E 3.3 lks. dist. & a B. 24 in? bears S. 29. W 30 lks. dist.
 56. 79 A W Oak 22 in? diam?
 58. 30 A Branch 4 lks. wide; Course N. 45 W.
 68. 00 A W Oak 34 in? diam?
 74. 00 Three Stone Rocks.
 80. 00 Set a mile post, from which a W. Oak - in? diam? bears N.
 49. W 24 lks. dist. & an Ash 8 in? diam? bears N. 58. W 53
 lks. dist. Timber, Oak & Hickory.

- East Between Secs 3 & 10.
 18. 40 A Branch 4 lks. wide; Course S. 45 E.
 30. 81 A Branch 5 lks. wide. Course S.
 40. 00 Set half mile post from which a Red Oak 7 in? diam? bears N.
 29. W 32 lks. dist. & a B. 12 in? diam? bears S. 31. W 34 lks. dist.
 50. 00 Set a mile post 8 lks. S. of the post on the Random line.
 Low ridges; Timber, Oak, Sugar, & Gaspard.

- South Between Secs 9 & 10. T. 3. S. R. 6 W.
 9. 66 A W Oak 18 in? diam?
 40. 00 Set half mile post from which a Red Oak 9 in? diam?
 bears N. 52. W. 28 lks. & a Quaking Asp 14 in? in diam?
 bears S. 35. E. 28 lks. dist.
 50. 01 A Red Oak 20 in? diam?

T. N. 3. S. R. N. 6. W. 2nd Mer.

71. 02 A Branch 6. lks. wide. Course S. 60. W.
 50. 00 Get a mile post from which a W. Oak 20. in? diam? bears
 N. 78. W. 52. lks. dist? & a B. Oak 8. in? diam? bears S. 67.
 E. 70. lks. dist. Low ridges. & mostly Oak, Hickory.
 Dogwood & Sassafras. Timber, some Quaking Asp

East Between Sec? 10. and 15.

12. 25 A Branch 7. lks. wide. Course S. 30. W.
 26. 50 A Branch 6. lks. wide. Course N. 20. E.
 40. 00 Get a half mile post from which a Red Oak 24 in? diam? bears
 N. 37. W. 27. lks. dist? & a W. Oak 33. in? diam? bears S. 35. W. 27. lks.
 40. 55 A Branch 8. lks. wide. Course S. 60. E.
 50. 20 A Branch 7. lks. wide. Course S. 40. E.
 68. 00 A Branch 6. lks. wide. Course S. 41 W.
 80. 00 Get a mile post 20 lks. S. of the post on a Random line.
 Low ridges, some Bottom. Timber. Oak & Hickory.

South Between Sec? 15. & 16. T. 3. S. R. 6. W.

40. 00 Get a half mile post from which a W. Oak 20. in? diam?
 bears N. 84. E. 15. lks. dist? & a B. Oak 20. in? diam? bears N. 84. E. 15. lks.
 41. 41 A Branch 2. lks. wide. Course S. 50. W.
 78. 54 A W. Oak 24 in? diam?
 80. 00 Get a mile post. from which a W. Oak 22. in? diam? bears N. 12.
 W. 32. lks. dist? & a W. Oak 14. in? diam? bears S. 75 W. 34 lks.
 dist. Land hilly, Timber. Oak. Dogwood. Sassafras. &c.

East Between Sec? 15. & 22.

40. 10 Get a 1/2 Sec. post, from which a Dogwood 6. in? diam? bears N.
 25. E. 30. lks. dist? & a Red Oak 6 in? diam? bears S. 12. E. 21. lks. dist.
 59. 95 A Branch 3. lks. wide. Course S. 45. E.
 80. 20 Get a mile post. Low ridges, Timber. Oak & Dogwood.

South Between Sec? 21. & 22.

29. 44 A W. Oak 21. in? diam?
 40. 00 Get a half mile post from which a B. Oak 8. in? diam? bears
 N. 30. E. 21. lks. dist? & a W. Oak 18. in? diam? bears S. 43. W. 23. lks. dist.
 47. 19 A Hickory 12. in? in diam?

T. No 3. S. No 6. W. 2nd Mr.

63. 50 Interesting Freeman's line & set. a post from which a Gum
10. in. diam. bears N. 38. E. 21. lks. dist. & a B. Walnut
12. in. diam. bears N. 15. E. 30. lks. dist. Low ridges;
Timber. Oak, Walnut & Hickory

East Between Sec. 23 & 26.

16. 75 A Branch 20. lks. wide, Course S. 30. E.
40. 00 Set half mile post from which a Jack Oak 15. in. diam.
bears N. 43. W. 58. lks. dist. & a B. Oak 22. in. diam. bears
S. 50. W. 20. lks. dist.
46. 95 A Branch 6. lks. wide, Course S. 45. W.
80. 00 Set a mile post 15. lks. N. of the post on a Random line.
16. ch. & 75. lks. over hills. Thin bottom. Oak. Hickory. Elm
& Walnut Timber.

West Between Sec. 22 & 27.

21. 69 Freeman's line; from which a Hickory 10. in. diam. bears
S. 27. W. 23. lks. dist. & a D. 10. in. diam. bears S. 30.
W. 21. lks. dist. Land hilly; Timber. Oak & Hickory.

South Between Sec. 26 & 27. T. 3. S. No 6 W.

6. 83 Freeman's line; from which a W. Oak 7. in. diam. bears
S. 4. W. 12. lks. dist. & a B. Oak 7. in. diam. bears N. 74. W. 18.
lks. dist. Land hilly. Timber. Oak, Hick. & Walnut.

Dec. 19th 1804

South Between Sec. 4 & 5.

28. 75 A Branch 8. lks. wide, Course East.
33. 17 A W. Oak 17. in. diam.
40. 00 Set a half mile post from which a B. Oak 22. in. diam.
bears S. 26. E. 40. lks. dist. & a W. Oak 20. in. diam. bears
S. 42. W. 52. lks. dist.
47. 50 A W. Oak 20. in. diam.
73. 50 A W. Oak 22. in. diam.
80. 00 Set a mile post from which a Gum 9. in. diam. bears S.
20. W. 53. lks. dist. & a B. 22. in. diam. bears S. 57. E. 36. lks.
dist. Land hilly. Timber. Oak, Hickory, Gum, Walnut & Poplar

T. 3. S. R. N. 6. W. 2nd Mer.

East Between Sec ^s 4 and 9.	
16. 25	A Branch 3. lks. wide. Course N. 20. E.
46. 00	Set a half mile post from which a W. Oak 12 in? diam? bears S 83. W. 56. lks. dist? & a B. Oak 30. in? diam? bears N. 83. E. 13. lks. dist.
61. 50	A Branch 2 lks. wide. Course N. & freestone rocks on both sides.
72. 00	A Branch 5 lks. wide. Course N. 20. W.
80. 00	Intersecting 30. lks. S. of the post on the Random line. Long hilly, Timber. Oak & Hickory.
South Between Sec ^s 8. & 9.	
40. 00	Set a half mile post from which a W. Oak 8. in? diam? bears N. 49. E. 10. lks. dist? & a S. 18. in? diam? bears N. 27. W. 9. lks. dist?
42. 80	A Sycamore 15. in? diam? in a Branch 4. lks. wide runs S. 75. W.
59. 22	A Branch 4. lks. wide Course W.
79. 00	A Branch 2. lks. wide. Course S. 80. W.
80. 00	Set a mile post from which a W. Oak 13. in? diam? bears S 73. E. 10. lks. dist? & a W. Oak 12. in? diam? bears N. 50. W. 11. lks. dist? Long hilly, Timber. W. & B. Oak. Hickory & Dogwood.
East Between Sec ^s 9 & 16. T. 3. S. R. N. 6. W.	
33. 82	A Branch 2. lks. wide. Course S.
40. 00	Set a 1/2 Sec. post from which a W. Oak 12. in? diam? bears N. 65. E. 71. lks. dist? & a Dogwood 6. in? diam? bears S. 71. W. 23. lks. dist?
80. 00	Set a mile post 10. lks. S. on the Random line. Long hilly, Timber. Oak. Hickory. Dogwood & Spice.
South Between Sec ^s 16. & 17.	
20. 18	A W. Oak 20. in? diam?
40. 00	Set a half mile post in a Branch 5. lks. wide Course S. 70. W. where a Birch 18. in? diam? bears N. 75. W. 37. lks. dist? & a Red Oak 18. in? diam? bears S. 50. E. 62. lks. dist?
59. 50	A Branch 2. lks. wide; Course W.
80. 00	Set a mile post from which a W. Oak 30. in? diam? bears S. 12. W. 17. lks. dist? & a B. Oak 22. in? diam? bears N. 29. E. 20. lks. dist? Long hilly. Timber W. & B. Oak. Hickory & Dogwood.
East Between Sec ^s 16. & 21. T. 3. S. R. N. 6. W.	

T. B. J. R. M. C. W. 2nd Mer.

32. 50 A Branch 6. lks. wide; Course S. 50. E.
 40. 00 Set a 1/2 m. post from which a W. Oak 18. in. diam. bears
 N. 15. E. 29. lks. dist. & a W. Oak 15. in. diam. bears N. 73. W. 40 lks. dist.
 57. 07 A Branch 4. lks. wide. Course S. 30. E.
 66. 50 A Branch 6. lks. wide. Course S.
 80. 00 Set a mile post. Low ridges. Timber. Dogwood & W. Oak Spruce &c.

- South Between Sec. 20. and 21.
 39. 75 Freeman's line. at a Hickory 14. in. diam. from which a
 Dogwood 6. in. diam. bears N. 56. E. 8 lks. dist. & a Dogwood
 7. in. diam. bears S. 51. W. 5 lks. dist. Land, hilly.
 Timber. Oak. Hickory. & Dogwood.

- South Between Sec. 5 & 6. T. B. J. R. C. W.
 14. 87 A W. Oak 22. in. diam.
 17. 42 A Branch 3. lks. wide. Course S. 20. W.
 40. 00 Set a half mile post from which a W. Oak 14. in. diam. bears
 N. 14. E. 9. lks. dist. & a B. Oak 22. in. diam. bears S. 12. E. 32. lks. dist.
 57. 75 A Branch 8. lks. wide. Course W.
 80. 00 Set a mile post from which a W. Oak 12. in. diam. bears
 S. 53. E. 17. lks. dist. & a Do. 8. in. diam. bears West 16. lks.
 dist. Land, hilly. Timber. W. & B. Oak, Dogwood. Sec 20th. 1804

- East Between Sec. 5. & 8.
 1 10 A Branch 3. lks. wide. Course S. 70. W.
 17. 43 A Branch 4. lks. wide bears N. 30. W.
 39. 75 Set a 1/2 m. post where a W. Oak 18. in. diam. bears S. 47.
 W. 25. lks. dist. & a Do. 12. in. diam. bears N. 66. W. 13. lks.
 51. 30 A Branch 4. lks. wide; Course S. 40. W.
 79. 50 Set a mile post 1 1/2 lks. N. of the Post on the Random line
 Land, hilly. Timber. W. Oak. Dogwood &c.

- South Between Sec. 7. and 8. T. B. J. R. C. W.
 3. 50 Bank of spit road of State. in a Branch 3 lks wide S. 70. W.
 5. 00 A W. Oak 22. in. diam.
 40. 00 Set a half mile post from which an Ash 18. in. diam. bears
 N. 57. W. 30. lks. dist. & a Poplar 40 in. diam. bears S. 8. E. 52. lks. dist.

T. B. J. Co. No 6. W. 2nd Mer.

44. 80 A W. Oak 28. in. diam.
 45. 75 A Branch 24. lbs. wide Course N 30 W
 55. 49 A Branch 3. lbs. wide. Course N. 60. E.
 66. 00 Set a mile post from which a W. Oak 12. in. diam. bears N. 60
 E. 39. lbs. dist & a Do 18. in. diam. bears N. 35. W 49. lbs. dist.
 Land hilly. some bottom; Timber. Oak. Ash. Walnut. Sugar & Poplar

East Between Sec. 8. & 17.

12. 50 A Branch 3. lbs. wide. Course N.
 22. 10 A Branch 10. lbs. wide; Course N. 40. W.
 24. 47 A Branch 4. lbs. wide; Course S. 80. W.
 46. 00 Set a half mile post, where a W. Oak 20. in. diam. bears S. 25. E.
 19. lbs. dist & a W. Oak 22. in. diam. bears N. 14. W. 19. lbs. dist.
 76. 96 A Spring S. 50. W.
 80. 00 Set a mile post 10. lbs. S. of the post. on a Random line Land
 hilly; Timber. W. Oak & Sugar &c.

South Between Sec. 17. & 18. T. B. J. Co. No. 6.

2. 25 A Branch 4. lbs. wide Course N. 10. E.
 19. 55 A W. Oak 20 in. diam.
 40. 00 Set a half mile post from which a W. Oak 20. in. diam. bears N.
 45. E. 15. lbs. dist & a Do 15. in. diam. bears S. 87. W. 32. lbs. dist.
 80. 00 Set a mile post from which a W. Oak 12 in. diam. bears N. 29. E.
 26. lbs. dist & a Do 15. in. diam. bears S. 27. W. 10. lbs. dist. Land
 hilly. Timber. W. Oak. Dogwood &c.

East Between Sec. 17. & 20.

22. 20 A Branch 3. lbs. wide; Course S. 30 E.
 38. 50 A Branch 2. lbs. wide. Course S. 20. W.
 40. 00 Set a 1/2 Sec post from which a W. Oak 10. in. diam. bears N. 46.
 W. 9. lbs. dist & a Do 12. in. diam. bears S. 73. E. 21. lbs. dist.
 80. 00 Set a mile post 15. lbs. N. of the post. on a Random line
 Land hilly Timber. Oak. Dogwood &c.

South Between Sec. 19. & 20.

7. 08 A W. Oak 15. in. diam.
 15. 60 A B. Oak 20. in. diam. in Freeman's line; where a W. Oak 22

T. M. 3. S. R. M. 6. W. 2nd Mer.

in? diam? bears N. 59. E. 39. lbs. dist? & a W. Oak 21. in?
diam? bears S. 65. E. 56 lbs. dist? Land hilly
Timber W. & B. Oak. & Dogwood.

West Between Sec. 18. & 19.

19. 93 A Branch 3. lbs. wide. Course N. 40. W.

39. 12 A Branch 4. lbs. wide. Course N. 30. W.

40 00 Set a half mile post from which a W. Oak 14 in? diam? bears
S. 53. W. 12. lbs. dist? & a B. Oak 5. in? bears N. 20. E. 2. lbs. dist?

49. 00 A Branch 2. lbs. wide; Course N.

54. 00 A W. Oak 15. in? in diam? in Freeman's line; from which
a W. Oak 36. in? diam? bears N. 82. E. 44 lbs. dist? & a
B. Oak 13. in? diam? bears N. 35. W. 22. lbs. dist?
Land hilly; Timber. Oak. Hickory & Dogwood.

West Between Sec. 7. & 18. Dec. 21st 1864.

5. 22 A W. Oak 18. in? diam?

40. 00 Set a half mile post from which a W. Oak 8. in? diam? bears
S. 29. W. 11. lbs. dist? & a B. Oak 18. in? diam? bears N. 27. E. 22. lbs.

46. 58 A W. Oak 23. in? diam?

59. 00 A Branch 20. lbs. wide; Course N.

69. 50 West Range line 10. lbs. S. of the post; from which a W.
Oak 20. in? diam? bears S. 22. E. 30. lbs. dist? & a W. Oak 12. in?
diam? bears N. 40. W. 12. lbs. dist? Low ridges; some
bottom, Timber, Oak. Hick? Walnut, Sugar, Dogwood, &c.

West Between Sec. 6. & 7. T. 3. S. R. 6. W.

00 50 A Branch 3. lbs. wide. Course S. 80. W.

6. 00 A Bank of pit Coal & Slate.

11. 50 A Gycamore 20. in? diam?

22. 25 A Branch 25. lbs. wide; Course N. 30. W.

23. 84 A B. Walnut 33. in? diam?

40. 00 Set a half mile post from which a W. Oak 12. in? diam? bears
S. 12. W. 14 lbs. dist? & a E. Oak 30. in? diam? bears S. 39. E. 33. lbs.

40. 00 The West Range line 8. lbs. S. of the post. Where a W. Oak 7.
in? diam? bears N. 48. E. 40. lbs. dist? & a B. Oak 14 in? diam? bears
S. 75. E. 53. lbs. dist? Low ridges. some bottom on the Creek

T. 3. S. R. 6. W. 2nd Mer

Timber. Oak. Poplar. Walnut Sugar &c.

This part of the Township was Surveyed by.

Jacob Fowler & Robert Stults.

- South On the Range line from post corner to Che? 7. & 18. on the W. side of Sec 18. in T. 3. S. R. 6. W.
16. 40 A Creek 40. lks. wide; Course E.
19. 19 Post and bearings - Spot thrown down & marked by trees defacing all but one & a blazs & line running E from it.
75. 69 To Humans line.
80. 00 Get Che. post to Che? 13 & 24 T. 3. S. R. 7. W. from which a W. Oak 18. in? diam? bears S 77. W. 73. lks. dist. & a B. Oak 30. in? diam? bears S 89. E. 32 lks. dist. Poor Land.

- South On the W. side of Che 19. T. 3. S. R. 6. W.
70. 11 Get a post from which a W. Oak 18. in? diam? bears N. 46. E. 20. lks. dist. & a Dogwood 7. in? diam? bears S 46. W. 32 lks. dist.
82. 00 Get post corner to Sec? 24 & 25. T. 3. S. R. 7. W. from which a W. Oak 14 in? diam? bears N. 35. W. 4. lks. dist. & a W. Oak 18. in? diam? bears S 78 E. 38 lks. dist. 3rd rate hill Land. Oak &c.

- South On the W. side of Che. 30. T. 3. S. R. 6. W.
5. 75 A Run 15. lks. wide; Course S 10. E.
34. 50 A Run 10. lks. wide; Course S 40. E.
40. 00 Get op Che? post; from which a B. Oak 36. in? diam? bears S 78. E. 14 lks. dist. & a Hickory 14. in? bears N. 36. W. 27. lks. dist.
80. 00 Get a post. from which a Dogwood 7. in? diam? bears S 25. E. 23. lks. dist. & a W. Oak 24 in? diam? bears N. 85. W. 14 lks. dist.; 2nd rate hill Land.

- South On the W. side of Che 31. T. 3. S. R. 6. W.
9. 75 A Run 10. lks. wide; Course N. 45. W.
40. 00 Get a post from which a B. Oak 11. in? diam? bears N. 86. W. 39. lks. dist. & a W. Oak 18. in? diam? bears N. 85. E. 43. lks. dist.
62. 25 A Run 10. lks. wide; Course N. 80. W.
68. 75 A Blazs & trace from N. 50. W. to S. 50. E.
80. 00 Get post corner to Towns 3 & 4. S. R. 6. W. & 7. W. from which

T. N. 3. S. R. N. 6. W. 2nd Mer.

W. Oak 24. in. diam. bears S. 31. W. 61. lbs. dist. 4 a M.
 Oak 24. in. diam. bears S. 31. E. 63. lbs. dist. Land hilly

East On a Random line between Towns 3 & 4. S. of the Sec.
 31. & 6. R. 6. W.

25. 50 A Blazed trace leading N. 80. W.

40. 00 Set a Temporary Gr. Sec. post.

80. 00 Set a Temporary Sec. post. Land poor & hilly. brushy
 &c. Timber. B. Jack

East Continued the Random line on the S. side of Sec. 32.

40. 00 Set a Temporary Gr. Sec. post.

69. 00 A Run 20. lbs. wide. Course; S. E.

80. 00 Set a Temporary Sec. post. Land same as last mile.

East South side of Sec. 33. T. 3. S. R. 6. W.

40. 00 Set temporary Gr. Sec. post.

80. 00 Set temporary mile post. Very difficult running on
 account of Brush & Briers. & Poor Land.

East On the S. side of Sec. 34

24. 50 A Creek 80. lbs. wide. Course S.

40. 00 Set Temporary Gr. Sec. post.

49. 00 A Creek 90 lbs wide Course S.

53. 00 A Creek 90 lbs. wide Course S.

80. 00 Set a Temporary mile post; 2nd rate Land B. Jack & B. Oak.

East On the S. side of Sec. 35. T. 3. S. R. 6. W.

40. 00 Set Temporary Gr. Sec. post; poor land.

80. 00 Set Temporary Sec. post. 2nd rate upland
 Timber Oak. Gum &c.

East On the S. side of Sec. 36. T. 3. S. R. 6. W.

9. 50 A Creek 30. lbs. wide; Course S. 20. E

40. 00 Set a temporary post over brushy Land.

78. 00 Range line 4 ch. & 40. lbs. N. of the post; very brushy land

T. N. 3. S. R. N. 6. W. 2nd Mer.

- West On true line between Towns 3 & 4. & Sec. 1 & 36
 40. 00 A B. Oak 10. in? diam? for Gr? Sec. corner
 80. 00 A Hickory 12. in? diam? corner. A Gum 14 in? diam? bears
 S 62. E. 23. lks. dist

West Continued.

40. 00 Set a Gr? Sec. post, from which a W. Oak 14 in? diam? bears
 N. 3. W. 21. lks. dist & a W. Oak 13. in? diam? bears S 32. E. 45. lks. dist
 80. 00 Set a post; from which a W. Oak 18. in? diam? bears S 76. E. 15. lks.
 dist & a W. Oak 17. in? diam? bears N. 86. W. 22. lks. dist

West Continued

40. 00 Set a Gr? Sec. post from which a W. Oak 20 in? diam? bears N. 6.
 W 10. lks. dist & a Hickory 4 in? diam? bears S 4. E. 7. lks. dist
 80. 00 Set a post from which a Hickory 7 in? diam? bears S 14 W. 13.
 lks. dist & a Do. 6. in? diam? bears N. 37 W. 4. lks. dist
 110. 00 Set a Gr? Sec. post, from which a B. Yuck 7 in? diam? bears South
 16. lks. dist & a B. Yuck 7 in? diam? bears N. 3. E. 48. lks. dist
 80. 00 Set a post; from which a B. Oak 8. in? diam? bears N. 43. E. 87.
 lks. dist & a B. Yuck 4 in? diam? bears S 35. W. 17. lks. dist

West Continued.

40. 00 A W. Oak 18. in? diam? corner to Gr? Sec.
 80. 00 Set a post from which a Dogwood 8. in? diam? bears N. 34. E. 33.
 lks. dist & a Hickory 20. in? diam? bears N. W. W. 28. lks. dist

West Continued

40. 00 Set a Gr? Sec. post from which a B. Yuck 10 in? diam? bears S.
 10. lks. dist & a W. Oak 8. in? diam? bears S 1. E. 67. lks. dist
 78. 00 Town line & corner. - This Town line is very bushy Oak. B. Yuck

- South On a Range line W side of Sec 6. T. 4. S. R. 6. W.
 31. 50 Set Temporary Gr? Sec. post
 36. 40 A run 20. lks. wide course N. 40. W.
 71. 59 Temporary Gr? Sec. post; 3rd rate land; millly thickly timbered
 with small saplings. ve.

T. 4. S. R. 6. W. 2nd Mer.

South On the W. side of Sec 7. T. 4. S. R. 6. W.
 40. 00 Set temporary Gr. Sec. post.
 80. 00 Set a Temporary Sec. post. Land descending S. & W.

South On the W. side of Sec. 18. T. 4. S. R. 6. W.
 40. 00 Set a Temporary Gr. Sec. post.
 80. 00 Set a Temporary Sec. post; poor barren Land

South On the W. side of Sec 19. T. 4. S. R. 6. W.
 40. 00 Set a Temporary Gr. Sec. post.
 62. 00 A blazed tree leading S. W. & S. E.
 80. 00 Set Temporary Sec. post; Poor Barren Land.

South On the West side of Sec. 30 T. 4. S. R. 6. W.
 22. 50 A Run 10. lks. wide; Course W.
 40. 00 Set a Temporary Gr. Sec. post.
 80. 00 Set Temporary Sec. post. across the heads of Drains S. & W.
 Poor Land;

South On the W. side of Sec No 31. T. 4. S. R. 6. W.
 40. 00 Set Temporary Gr. Sec. post.
 84. 80 Intersected Section E. & W. line 23. ch. E. of post. corner
 to Towns 5. & 6. Range 6. & 7. W.; Set a post at the intersection
 corner to Towns 4 & 5. Ranges 6 & 7. W. from which a
 Dogwood 8 in. diam. bears S. 73. E. 25. lks. dist & a Hick? 12
 in. diam. bears S. 65. W. 37. lks. dist. Good level upland
 Timber. Oak. Dogwood, &c.

North On Range line between Towns 4 & 5. Range 6 & 7 West.
 40. 00 at Poplar 8 in. diam. to Gr. Sec. corner.
 80. 00 Set a post corner to Sec. 25. & 26. T. 4. S. R. 7. W. from
 which a Hickory 12 in. diam. bears S. 41. E. 6. lks. dist & a
 Spanish Oak 18 in. diam. bears S. 46. W. 47. lks. dist.
 1. 20 2nd mile; At Post set by the Surveyor of R. 7.
 40. 00 A W. Oak 10 in. diam. for Gr. Sec. corner
 80. 00 Set a post corner to Sec. 24. & 25. T. 4. S. R. 7. W. from which
 a Hickory 12 in. diam. bears N. 6. W. 37. lks. dist & a B. Oak 5.

T. M. S. S. Co. No 6. W. 2nd Mer.

bears G. 2. W. 24 lbs. dist.

3rd Mile.

1. 30 A Post set by the Surveyor of Range 7. W.
 40. 00 Set a G^r Che. post: from which a Gum 8 in? diam? bears South
 11 lbs. dist & a Gum 6 in? diam? bears N. 2. W. 20. lbs. dist.
 80. 00 Set a post from which a Shrub Oak 10 in? diam? bears S. 89.
 E. 37 lbs. dist & a P. 12. in? diam? bears S. 49. W. 62. lbs. dist.

4th Mile

1. 10 A Post set by the Surveyor of Range 7. W.
 40. 00 Set a G^r Che. post from which a Gum 10 in? diam? bears
 N 66. W. 37 lbs. dist & a Hickory 10 in? bears S. 51. E. 41 lbs. dist.
 80. 00 Set a post from which a B. Oak 8 in? diam? bears N. 12.
 W. 14 lbs. dist & a Gum 6 in? diam? bears S. 48. E. 9 lbs. dist.

5th Mile.

1. 20 Post set by the Surveyor of Range No 7.
 40. 00 Set G^r Che. post in a thicket of brush; no timber for bearings
 80. 00 Set post Corner to Che. 1 & 12. T. 4. S. 4. W. from which
 a W. Oak 12 in? diam? bears S. 26. W. 5 lbs. dist & a W. Oak 12.
 in? diam? bears N. 2. E. 20. lbs. dist.

6th Mile.

40. 00 A Dogwood 8 in? diam? for G^r Che. Corner.
 76. 30 Post Corner to Sections 3 & 4. S. of R. 7. W. 2nd Mer.

- South Between Che. 25 & 36. T. 3. S. R. 6. W.
 38. 50 To Freeman's line
 40. 00 Set a G^r Che. post: from which a W. Oak 10 in? diam? bears
 N. 59. W. 17 lbs. dist & a B. Oak 23 in? bears S. 52. E. 38 lbs. dist.
 80. 00 Set post Corner to Che. 25. 26. 35 & 36. from which a
 W. Oak 24 in? diam? bears S. 8. W. 29 lbs. dist & a W. Oak 24
 in? diam? bears N. 40. E. 31 lbs. dist. Rather brushy. Oak &c.

- East A Random line between Che. 25 & 36. T. 3. S. R. 6. W.
 40. 00 Set Temporary G^r Che. post in brushy land.
 81. 70 Intersecting N. & S. line 40 lbs. S. of the post on the E. Range line

T. N. B. S. R. N. C. W. 2nd Mer.

Poor bushy land; Timber. W. B. Oak.

West On true line

40. 55 A Crotched W Oak. 11 in? diam? for Gr. Sec. Corner.

South Between Sec? 35. & 36. T. 3. S. R. 6. W.

40. 00 Set a post; from which a B. Walnut. 11 in? diam? bears N. 52. W. 15. 1/2 hrs. dist. & a B. Jack 12 in? diam? bears S. 7 W. 13. 1/2 hrs. dist.

50. 10 Run line 2 chains west of the post, & set a post corner to Sec? 35. & 36. from which a Hickory 8 in? diam? bears S. 53. W. 12. 1/2 hrs. dist. & a B. Jack 6 in? diam? bears N. 4. E. 13. 1/2 hrs. dist. Poor bushy barren land.

South Between Sec? 26. & 27. T. 3. S. R. 6. W.

0. 90 Trumans line

18. 80 A E. & W. blazed line

40. 00 A B. Gum 8 in? diam? for Gr. Sec. Corner.

80. 00 Set post corner to Sec? 26. 27. 34. & 35. from which a B. Oak 7 in? diam? bears S. 60. E. 6. 1/2 hrs. dist. & a B. Walnut. 14 in? diam? bears N. 33. W. 34. 1/2 hrs. dist. Land, 2nd rate; Timber, Oak. Gum &c. Dec. 6th 1805.

East On Rameston line between Sec? 26. & 35. T. 3. R. 6.

40. 00 Set Temporary Gr. Sec. post

40. 50 A Creek 40. 1/2 hrs. wide. Course S. 20. W.

83. 50 Fall. 30. 1/2 hrs. N. of the post. 2nd rate hill land. Timber. Oak. Birch & some haws

West On true line

41. 75 A C. papras. 5 in? diam? for Gr. Sec. Corner

South Between Sec? 34. & 35. T. 3. S. R. 6. W.

40. 00 A W. Oak 5 in? diam? for Gr. Sec. Corner.

43. 00 A Creek 50. 1/2 hrs. wide Course S. 80. W.

79. 80 Run line 6. 1/2 hrs. W. of the Post. Set post corner to Sec? 34. & 35. from which a W. Oak 17 in? diam? bears S. 66. W. 39. 1/2 hrs. dist. & a D. 12. N. 63. E. 23. 1/2 hrs. 2nd rate hill land W. Oak timber

T. B. S. R. & C. M. 2nd Mer.

South Between Sec^s 21. & 22. from G^r Sec^r post.
 19. 50 bearing trees defaced, which had been markers for G^r Sec^r corner.
 23. 51 Freeman's line
 40. 00 Get Post corner to Sec^s 21. 22. 27. & 28. from which a
 W. Oak 10. in. diam^r bears N. 89. E. 46. lbs. dist. & a B. Oak 10.
 in. diam^r bears S. 79. E. 41. lbs. dist. 2nd rate upland,
 rather brushy. Timber. Oak &c.

East Between Sec^s 22. & 27. T. B. S. R. & C. M.
 40. 00 Get temporary G^r Sec^r post.
 58. 00 Freeman's line at the End of the E. & W. line run from the post.
 corner to Sec^s 22. 23. 26. & 27. & continue of the measure on
 to said corner. found it to be 79. chain & 65. lbs. Good hill
 Land. Timber. W. & B. Oak. Dec. 7th. 1805.

West On true line
 39. 89 Get G^r Sec^r post from which a Hickory 6. in. diam^r bears
 N. 19. W. 12. lbs. dist. & a Do. 6. in. diam^r bears S. 52. W. 12. lbs. dist.

South Between Sec^s 27. & 28. T. B. S. R. & C. M.
 16. 00 A Creek 20. lbs. wide. bears S. 80. E.; no water.
 40. 00 Get G^r Sec^r post from which a Dogwood 10. in. diam^r bears N.
 14. E. 5. lbs. dist. & a Hickory 5. in. diam^r bears S. 6. W. 24. lbs. dist.
 80. 00 Get post corner to Sec^s 27. 28. 33. & 34. from which a W. Oak
 8. in. diam^r bears S. 76. W. 15. lbs. dist. & a Gum 6. in. diam^r bears
 N. 63. E. 27. lbs. dist. 2nd rate hill. Land. W. Oak & Hick^y timber

East Between Sec^s 27. & 34. on a Random line.
 40. 00 Get a Temporary G^r Sec^r post.
 80. 60 60. lbs. N. of the post on the N. & S. line. 2nd rate hill
 Land. Timber. W. & B. Oak. &c.

West On true line.
 40. 30 Get a G^r Sec^r post, from which a W. Oak 10. in. diam^r bears N.
 63. W. 10. lbs. dist. & a Hickory 7. in. diam^r bears S. 58. E. 50. lbs. dist.

South Between Sec^s 33. & 34. T. B. S. R. & C. M.

T. M. 3. S. B. No. 6. W. 2nd Mer.

40. 00 Get a Gr. Gr. post. from which a Maple 10. in. diam.
bears S. 10. E. 10. lbs. dist. & a Do. 8. in. diam. bears N. 18. W. 16. lbs. dist.
46. 50 Cut E. bend of Creek 59. lbs. wide.
50. 50 The same Creek. Course E.
53. 50 The same Creek. Course. S. 80. W.
55. 00 The same Creek. Course S. 80. E.
80. 00 Town line 7. lbs. N. of the post. - from which a B. Oak 4.
in. diam. bears S. 16. E. 5. lbs. dist. & a B. Oak 5. in. diam.
bears S. 2. W. 14. lbs. dist. 2nd rate land Timber W. & B. Oak.

- South Between Gr. 20. & 21. T. 3. S. No. 6. W.
20. 61 Post thrown down & bearing trees defaced. E. & W. blazed from it.
39. 50 Freeman's line.
40. 00 A W. Oak 10. in. diam. for Gr. Gr. corner.
58. 29 A Creek 30. lbs. wide. Course S. E.
80. 00 Get post corner to Gr. 20. 21. 28. 29. from which a
 Hickory 10. in. diam. bears S. 60. W. 19. lbs. dist. & a Do.
 16. in. diam. bears N. 39. E. 25. lbs. dist. Good hill Land;
 Timber. Oak. Dogwood &c. Dec. 8. 1805.

- East Between Gr. 21. & 28. on a Chandon line.
00. 66 A Creek 30. lbs. wide; Course. S. 45. W.
40. 00 Get Temporary Gr. Gr. post.
82. 60 70. lbs. N. of the Post on the N. & S. line Good hill
 Land. Timber Oak. &c. &c.

- West On the true line.
41. 30 Get a Gr. Gr. post; from which a W. Oak 15. in. diam.
bears S. 58. W. 20. lbs. dist. & a Do. 17. in. diam. bears S. 26. E. 62. lbs. dist.

- South Between Gr. 28. & 29. T. 3. S. No. 6. W.
40. 00 A W. Oak 24. in. diam. bears S. V. no other timber near.
76. 00 A Creek 10. lbs. wide, Course S. 55. E.
80. 00 Get post corner to Gr. 28. 29. 32. & 33. from which a
 Sugar 14. in. diam. bears N. 44. E. 51. lbs. dist. & a W. Oak 20.
 in. diam. bears S. 23. W. 15. lbs. dist. 2nd rate hill Land.
 Timber. Oak. Elm &c. Brushy. &c.

T. 3. S. R. 6. W. 2nd Mer.

- East Between Sec. 28. & 33.
 40. 00 Set Temporary Gr. Sec. post.
 44. 00 A Creek 60. lbs. wide. Course S.
 83. 00 Set 20. lbs. N. of the post. 2nd rate gentle hills. &c.

- West On the true line.
 41. 50 A W. Oak 20. in. diam. for Gr. Sec. corner.

- South Between Sec. 32. & 33. T. 3. S. R. 6. W.
 40. 00 A Hickory 20. in. diam. for Gr. Sec. corner; another tree near.
 80. 00 Town line 10 ^{ch} ~~mi~~ W. of the Post, where a Beech 18. in. in diam. is corner to Sec. 32. & 33. Brushy 3rd rate land, Timber. Oak. &c. &c.

- West Between Sec. 18. & 19. T. 3. S. R. 6. W.
 20. 00 A creek 40. lbs. wide. Course N. W.
 33. 00 A Creek 30. lbs. wide. Course N. 20. W.
 40. 75 A Gr. Sec. post.
 50. 00 A Run 20. lbs. wide; Course. N. 10. W.
 55. 00 Freeman's line.
 67. 00 Intersected Range line at the Post. 2nd rate hill Land, Timber. W. & B. Oak. Dogwood. &c.

- South Between Sec. 19. & 20. T. 3. S. R. 6. W.
 15. 90 Freeman's line.
 140. 00 Set Gr. Sec. post. from which a W. Oak 16. in. diam. bears S. 74. W. 14. lbs. dist. to a 24. in. diam. bears N. 70. E. 7. lbs. dist.
 80. 00 Set Post corner to Sec. 19. 20. 29. & 30. from which a Gum 10. in. diam. bears N. 12. W. 48. lbs. dist. to a B. Oak 12 in. diam. bears S. 12. E. 39. lbs. dist. 2nd rate land, well timbered B. & W. Oak.

- East Between Sec. 20. & 29. on a Random line.
 26. 50 A Creek 40. lbs. wide. Course S. 40. E.
 40. 00 Set a Temporary Gr. Sec. post.
 82. 50 Hit the post on the N. & S. line. good hill land; Timber. Hickory Elm &c. &c.

T. N. B. S. R. N. C. W. 2nd Mer.

West On true line

41. 30 A B. Oak 9. in? diam? for Gr She. Corner

West Between Che? 29 & 30. T. B. S. R. N. C. W.

40 00 A. Oak 10 in? diam? for Gr She.

48 00 A. Oak 20. lbs. wide; Course S. 20. E.

67. 00 Antares & Range line at post. 2nd rate hill Land
Timber. Dogwood & Oak. Dec. 10. "1805.

South Between Che? 29 & 30. T. B. S. R. N. C. W.

25. 00 A. Oak 20. lbs. wide; Course S. E.

40. 00 Get a half mile post from which a W. Oak 18 in? diam?
bears S. 46. W. 11. lbs. dist. 8 & a D. 20 in? bears N. 31. E. 50. lbs. dist.

44. 50 A. Oak 30. lbs. wide Course S. 49. E.

80. 00 Get post corner to Che? 29. 30. 31. & 32. from which a B.
Jack 7. in? diam? bears N. 23. W. 17. lbs. dist. & a B. Jack 6. in?
diam? bears S. 33. E. 20. lbs. dist. The first 1/2 mile 2nd
rate; the 2nd 3rd rate. brushy small. Oaks & some Dogwood.

West Between Che? 30 & 31. T. B. S. R. N. C. W.

40. 00 A. W. Oak 12. in? diam? for Gr She. Corner

67. 90 Range line 50. lbs. N. of the post; corner to Che? 30 & 31. from
which a Dogwood 10. in? diam? bears N. 42. E. 62. lbs. dist.
& a B. Oak 30. in? diam? bears N. 79. W. 19. lbs. dist.
2nd rate 1st planting; Timber. W. Oak. &c.

East Between Che? 29 & 32. on a Random line

40. 00 Get a Temporary Gr She. post.

74. 00 A. Oak 60. lbs. wide Course S. 55. E.

82. 30 100. lbs. N. of the post on the N. & S. line First half brushy
last half. Good hill Land; Timber. Oak & B. Jack.

West On true line between Che? 29 & 32. T. B. S. R. N. C. W.

44. 15 A. B. Walnut 9. in? diam? for Gr She. Corner

82. 30 To the corner.

South Between Che? 31 & 32. T. B. S. R. N. C. W.

J. A. B. J. C. A. C. W. 2nd Mer.

- 40.00 Set off. The post from which a W. Oak 24 in. diam.
 bears S. 15. W. 43. lbs. dist. & a Burr 7 in. diam. bears
 N. 16. E. 49. lbs. dist.
- 40.50 A creek 30 lbs. wide. Course E.
- 40.80 Town line 12 ch. & 30. lbs. W. of the Sec. post. Set a
 post corner to Sec. 31 & 32. from which a Cherry 4 in.
 diam. bears S. 70. W. 22. lbs. dist. & a Hickory 18 in. diam.
 bears N. 77. E. 12. lbs. dist. - Hill land descending
 J. E. husky December 13. 1805.

Surveyed by Augustus Stone.

East Boundary (South Vincennes tract)

- South On E. boundary of Sec 25, from q. Sec. Cor. in Vincennes tract
- 17.36 Freeman's line
- 40.00 Set a post Cor. to Sec. 25 & 36, S. 31. W. 67. from which
 a W. Oak 20 in. diam. bears N. 46 E. 43 lbs. dist. &
 a W. Oak 40 " " " N. 47 W. 62 " "
- Land level Cold & clayey very brushy, under 2/3 briars

- South Between Sec. 31 & 36, Town 3 S. Range 5 & 6 W
- 2.15 to post defaced it for fear of error
- 40.00 Set the q. Sec. post from which
 a W. Oak 11 in. diam. bears S. 24 W. 25 lbs. dist. &
 a Soft Maple 10 " " " N. 54 E. 33 " "
- 42.70 post for q. Sec. defaced it for fear of error
- 80.00 Set a post Cor. to Town 3 & 4 S. Range 5 & 6 W. from which
 a Hickory 36 in. diam. bears N. 8 W. 31 lbs. dist. &
 a Do 6 " " " S. 5 W. 40 " "
- 1st half mile brushy & briars a plenty - 2nd 1/2 mile
 Open hill land Oak &c.

Measured on S. to post marked for town corner found
 it to be 3 ch. 20 lbs. placed it on to the measure of the last
 mile. ^{of p. 4 S. 126, making it 71.59} measured N. 3 ch. 20 lbs. threw down the post & defaced
 its marker - returned S. on said range line & defaced
 all the posts that I did not set, for fear of their being
 taken for the true ones. 15th Sept. 1805

I Certify that the foregoing transcript of field notes of Township N.
 3 South, of Range N. 6 West T. 2 N. Indiana, has been compared
 with the original notes, in this Office, and found to be correct.

Surveyor General's Office
 Cincinnati, Oct. 1. 1839

R. D. Coates Sur. Genl.